



Abexo news

News and Information Magazine for Producer, Distributors, Installers and Designers

Special edition: Fiera Sicurezza



NEWS

Fieramilano / 13-15 November 2019

SICUREZZA

INTERNATIONAL SECURITY & FIRE EXHIBITION

hall 7 / stand P19

Register on our website
www.abexo.tech
to receive our newsletter
with the latest news
and the link to download
our monthly magazine
ABEXO NEWS

www.abexo.tech



Abexo is always trying to improve and develop new skills: we are very proud to herald that we have officially become members of the Italian association ACMI - Assostruttori Chiusure e Meccanismi Italia. We are now part of a solid network representing a considerable opportunity for growth and professional training for our company.

What does ACMI do?

From 1996, ACMI is the association that brings together the producers of technical doors and gates for civil and industrial use, and components and accessories to integrate them.

ACMI strongly encourages the promotion of the "Made in Italy" products abroad, while pushing for the internationalization of its members and bolstering their participation in international trade shows. Moreover, it offers remarkable support in terms of technical updates and national and European standards.

ACMI is a member of F.IN.CO and E.D.S.F.

F.IN.CO is the Federation that brings together those professional associations working in the field of building materials, installation, road safety equipment and specialized machining in the area. F.IN.CO aims at facilitating the consultation between all the players of the sector, trying to maximize efficiency and visibility of the Federated Associations.

E.D.S.F., on the other hand, is the European Federation responsible for monitoring and leading the technical and regulatory development of new products and for encouraging the introduction of new standards in member countries.



Below, you find a list of ACMI members and from today you'll see the Abexo brand, too!



Prodotti radio/




Multi-frequency 8 channels universal radio keypad (from 433,92 MHz to 868,35 MHz)

EGO-KODE




EGO-KODE is a multi-frequency universal radio keypad, compatible with any receiver you have in your automation system at home. Without any wiring, it allows to open your gateway with just a numerical code. You will be able to get in easily and freely without any keys. EGO-KODE is user-friendly, safe and accessible. It can be battery-powered or by using the two cables that were previously needed for your old key-switch.

#TRANSMITTER COMPATIBILITY
"ALL" THE ROLLING-CODES
IN YOUR KEYPAD




#GET RID OF YOUR KEY-SWITCH
THANKS TO RADIO TECHNOLOGY
THE KEYPAD TURNS OUT TO BE SAFER



#COMPATIBILITY WITH RECEIVERS
USE THE RECEIVER YOU ALREADY
HAVE IN YOUR SYSTEM







VOLT RETROFIT 2.0



Replace the bulbs with the VOLT led board, SAVE energy and avoid frequent replacements

OUR BEST SELLER IS RENEWED!



MICRO-P27



This photo was kindly granted by Ballan SPA

smaller than
3 €2 coins





The design was thought taking inspiration from the one of the Micro-Flash e Micro-Traffic, miniaturized and equipped with terminals. To maintain compact dimensions and guarantee maximum performance, an innovative choice was made: using a relay (miniaturized as well) with **REED technology**.

The absence of lever systems of the relay REED allows:

- a greater **miniaturization**
- a long average life span (usually much higher than a million of switchings)
- a greater supply range than traditional relays (REED relays are considered reliable and have a wide range of plants by different producers).

TECHNICAL DATA

Power supply: 12/24 Vcc/ca
Absorption: 60 mA
Relè: REED TECHNOLOGY
Max length of the door: 10 m
Relay contacts: 0,5 A - 24 V
Oscillation frequency: 1500 Hz
Light type: modulated infra-red
Operating Temperature: : -20°C, +60°C
Weight plastic: 12gr





SLIDING VOLET



Opening shutters is going to get easier and easier, quiet and SMART, thanks to the modern automation conceived by **ABEXO**.



Weight: 80Kg



Weight: 45+45Kg




TECHNICAL SPECIFICATIONS

- control unit's voltage: 230vac +/-10%
- motors' voltage: 12vdc
- low energy consumption
- extractable terminal board
- back up battery option
- operating temperature: -15°, +50°C

Radio products/
Universal 4-channel multi-frequency transmitter
EGO (from 433,92 MHz to 868,35MHz)

EGO



FREE
 from 100 pieces

Led flashing lights/
LED traffic lights 12/24v



TRAFFIC3

Full traffic light green/yellow/red
 with metal structure and wall
 fixing brackets



TRAFFIC1

Full traffic light red with metal
 structure and wall fixing brackets




Industrial detector /
Loop detector

BASIC-DGL

12-24V detector 2 channels for DIN rack



APPLICATIONS





Abexo[®]

AUTOMATION ACCESSORIES

www.abexo.tech

ABEXO NEWS
is a magazine published by AB Tecno srl
and its marketing department for information and promotional purposes

